

13.1 m 2013 Fountaine Pajot Helia 44

€470,000

Tarragona, España



Datos del barco

Fabricante:	Fountaine Pajot	Tipo de barco:	Catamarán
Modelo:	Helia 44	Material del casco:	Fibra de vidrio
Año:	2013	Manga:	7 m 31 cm
Eslora:	13 m 10 cm	Ubicación del barco:	Tarragona, España
Precio:	€470,000	Aseos:	3
Estado:	Usado	Combustible del motor:	Diesel

Valmar Yachts

CAMINO CANAL 91, LOCAL 8, Valencia, España

Teléfono: +34622376854

info@valmaryachts.net

Descripciones

¡Fountaine Pajot Hélia 44 a la venta!

Este catamarán se encuentra en muy buen estado. A pesar de salir de fábrica a finales de 2013, comenzó a navegar en 2014. Ha sido utilizado solo por los propietarios, nunca se ha alquilado ni realizado chárter. Este Helia 44, en concreto, está diseñada con la versión propietario (1 suite propietario + 1 baño / 2 camarotes dobles + 2 baños)

El catamarán está totalmente equipado para la navegación en alta mar.

Motores Volvo de 55 CV + hélices plegables.

2 x Desalinizadora de 90 L/h

Proas equipadas para almacenamiento.

Navegación:

GPS y mapa Garmin 7412 (en la tabla de cartas y en la estación de timón).

Transceptor AIS Garmin.

VHF Garmin GHS 10i con GHC 20.

Pantalla externa de control de piloto automático (exterior e interior).

Sonda de profundidad, registro, participación de temperatura Gwind.

Radar Garmin GMR 18 HD.

Mapas electrónicos (Europa, incluyendo Canarias y Azores, Bermudas, Cuba, Bahamas, Puerto Rico, Florida, Caribe Norte y Sur).

Electrónica:

Paneles solares de 2x370 W (originalmente eran cuatro paneles de 100 W).

Controlador de carga Victron MPPT.

Baterías de servicio Bluetooth AGM plomo carbono 4x200 Ah (junio de 2020).

Convertidor Victron 2000 W 110 V.

Transformador Bluetooth 110-220 V / 220-110 V 5000 W.

Monitor de batería Victron BMV.

Generador Bluetooth Cummins Onan 9.5 kW.

Furler Pro Furl para el génova.

Refuerzo para el furler del gennaker.

Gennaker Facnor FX2500 (instalado).

Poleas originales Lewmar de composite reemplazadas por cabrestante Harken de aluminio electrificado.

Piezas de cuero cosidas en los herrajes para la protección del génova.

Todas las cuerdas originales han sido reemplazadas por cuerdas de alta calidad (núcleo de Dyneema).

Anclas

Ancla Rocna Vulcan de 33 kg (junio de 2021).

Ancla Lewmar Delta de 20 kg.

Cadena galvanizada de alta calidad de aproximadamente 75 m de 12 mm (junio de 2021).

Ancla tanque 2x12 L + cadena de acero inoxidable de 3 m + cordón de 10 m.

Highfield 3.40 m Hypalon (junio de 2019).

Cable antirrobo de acero inoxidable con doble hebilla y funda de plástico de 5 m.

Información y características

2013 Volvo (Motor 1)

Combustible del motor: **Diesel**

Motor: **55 hp**

2013 Volvo (Motor 2)

Combustible del motor: **Diesel**

Motor: **55 hp**

Dimensiones

Eslora total: **13 m 30 cm**

Manga: **7 m 31 cm**

Pesos

Peso seco: **10,800 kg**

Tanques

Combustible: **1 x 470 l**

Agua fresca: **2 x 375 l**

Cabinas

Aseos: **3**

Otro

Forma del casco: **Catamarán**

Bandera de registro: **Polonia**

Diseñador: **Berret Racoupeau**

Toldos

- Toldo Bimini
- Lazy Bag

Equipo Eléctrico

- Entrada de corriente externa
- Inversor

Electrónica

- Corredera - Velocímetro
- Velocidad y dirección del viento
- Repetidor(es)
- TV
- Centro de navegación
- Plotter - Graficador
- Reproductor de DVD
- Radio
- GPS
- Radio VHF

Equipamiento Interno

- Propulsor de proa
 - Lavadora
 - Microondas
 - Aire acondicionado
 - WC eléctrico
 - Nevera
 - Congelador
- Cargador de batería

Equipamiento Externo/Extras

- Bañera en teca
- Panel solar
- Cojines en bañera
- Escalera de baño

Velas

- Vela mayor con sables
- Génova enrollable

Interior General

- Saloon / cabin flooring : parquet
- Lining on rotproof glass felt
- Sofa cushions leather style
- Polyeter foam mattresses

Saloon

- Saloon accessed through a sliding door – 1 leaf with entrance carpet
- Panoramic view through picture windows
- Natural lighting by 2 roof bay
- 1 wooden table
- 6 places bench seat
- Large cupboards under bench
- Ventilation via large front-opening hatches
- Principal lighting by spot LED + environment lighting by orientable spots LED

Kitchen

- Open kitchen to the outside by sliding bay
- Ventilation via 1 hull porthole
- Large worktop
- 2 sinks
- 1 dustbin with vertical access, evacuation bags by independent door
- Drinking water, hot and cold, pressurized by mixer
- 1 stainless hob with 3 gaz fire equipped with clamp pan
- 1 stainless oven gaz
- 3 large cupboards under sinks acomodating dishwasher (option)
- 2 storage cupboards. One of them can receive one fridge (option)
- 1 cutlery drawer
- 190L cold storage volume
- 1large cupboard in starboard side of the entry door
- LED spotlighting

Chart Table

- Wooden chart table and storage with flap
- Hight navigation instruments console
- Electric panel 12V
- One 12V electric outlet
- Chart table lighting by reading light

Interior Layout QUATUOR VERSION

4 double cabins and 4 bathrooms

Starboard hull: 2 double cabins & 2 Bathrooms

Aft Cabin :

- Access through wooden door in passageway
- Double bed (1,60x2,00 m approximately.) with lateral access (island bed)
- 1 Drawer under bed with frontal access
- Shelving on side of bed
- 1 Hanging closet
- 1 Console with internal shelves
- Ventilation through 1 deck hatch + via 1 porthole overlooking rear deck
- Rear panoramic bay
- Large non-opening outward-facing picture window
- Curtains on all openings
- Main lighting via spotlights LED and 2 bedside reading lights
- Coat hook
- Cupboards storage under bed

Aft and forward bathrooms :

- Access through wooden door
- Worktop with sink
- Mirror + shelves
- Hot and cold water by mixer
- Separate shower with mixer tap with built-in showerhead
- Shower with electrical drainage pump
- Large manual marine toilet
- Cupboard storage with internal shelves under worktop
- Coat hook
- Ventilation through 1 deck hatch
- 2 spotlights

Passageway :

- 1 cupboard

Fore cabin :

- Access through wooden door in passageway
- Double bed (1,60/1,3x 2m approximately.) with lateral access (island bed)
- 1 Drawer under bed with frontal access
- 1 hanging closet
- 1 console with internal shelves
- 1 shelf above bed
- Ventilation through 1 deck hatch and 1 hull hatch
- 1 escape hatch opening
- Large non-opening outward-facing picture window

- Curtains on all openings
- Main lighting via spotlights LED and 2 bedside reading lights
- Coat hook
- Cupboards storage under bed

Fore peak :

- Access via a wooden door in for cabin
- Fully-painted, gel-coat finish
- Buoyancy reserve under half-height shelf

Port Hull: 2 double cabins & 2 bathrooms

Aft Cabin :

- Access through wooden door in passageway
- Double bed (1,60x2,00 m approximately.) with lateral access (island bed)
- 1 Drawer under bed with frontal access
- Shelving on side of bed
- 1 Hanging closet
- 1 Console with internal shelves
- Ventilation through 1 deck hatch + via 1 porthole overlooking rear deck
- Rear panoramic bay
- Large non-opening outward-facing picture window
- Curtains on all openings
- Main lighting via spotlights LED and 2 bedside reading lights
- Coat hook
- Cupboards storage under bed

Aft and forward bathrooms :

- Access through wooden door
- Worktop with sink
- Mirror + shelves
- Hot and cold water by mixer
- Separate shower with mixer tap with built-in showerhead
- Shower with electrical drainage pump
- Large manual marine toilet
- Cupboard storage with internal shelves under worktop
- Coat hook
- Ventilation through 1 deck hatch
- 2 spotlights

Passageway :

- 1 cupboard

Fore cabin :

- Access through wooden door in passageway
- Double bed (1,60/1,10 x 2m approximately.) with lateral access (island bed)
- 1 Drawer under bed with frontal access
- 1 hanging closet

- 1 console with internal shelves
- 1 shelf above bed
- Ventilation through 1 deck hatch and 1 hull hatch
- 1 escape hatch opening
- Large non-opening outward-facing picture window
- Curtains on all openings
- Main lighting via spotlights LED and 2 bedside reading lights
- Coat hook
- Cupboards storage under bed

Fore peak :

- Access via a wooden door in for cabin
- Fully-painted, gel-coat finish
- Buoyancy reserve under half-height shelf

Interior Layout MAESTRO VERSION

1 owner's suite to starboard and 2 double cabins to port

Starbord hull: 1 owner's suite

Access to owner's suite starbord through wodden door at the bottom of the companionway.

Sleeping space :

- Double bed (1,60x2,00 m approx.) lateral access (island bed) and slatted base à lattes
- 1 Drawer under bed with frontal access
- Shelving on sides of bed
- Ventilation via 1 deck hatch + 1 porthole overlooking on the rear deck
- Rear panoramic bay
- Large non-opening outward-facing picture window
- Curtains on all openings
- Main lighting by spotlights LED and 2 reading lights
- Coat Hook
- Cupboards storage under bed.

Desk area :

- Wooden writing desk with tray on flap
- 1 Bench
- Upper arrangement
- Large consoles storage : hanging closet and cupboard
- Library area
- Main lighting by spotlights LED and 1 reading light on desk
- Ventilation via 1 desk hatch

Storage and laundry area :

- Access via wooden door from passageway
- 2 Large storage consoles with shelves and hanging closet accomodating one wash machine (5kg) in option
- Lining
- Ventilation via 1 desk hatch

Bathroom area :

- Resin worktop with sink
- Large storage cupboard winth internal shelves under worktop
- Arrangement above worktop
- Mirror
- Hot and cold water by mixer tap
- Manuel marine toilet
- Bathroom accessories (Toilet tissue holder + towel rail)
- Separate shower via Altuglas door
- Hot and cold water shower by mixer tap with built-in showerhead
- Shower with electric drainage pump
- 1 non-opening outward-facing picture window
- Lighting with 2 spotlights

Fore peak :

- Access through wooden door via storage and laundry area
- Fully-painted, gel-coat finish
- Buoyancy reserve under half-height shelf

Port hull: 2 double cabins & 2 bathrooms

Aft Cabin :

- Access through wooden door in passageway
- Double bed (1,60x2,00 m approximately.) with lateral access (island bed)
- 1 Drawer under bed with frontal access
- Shelving on side of bed
- 1 Hanging closet
- 1 Console with internal shelves
- Ventilation through 1 deck hatch + via 1 porthole overlooking rear deck
- Rear panoramic bay
- Large non-opening outward-facing picture window
- Curtains on all openings
- Main lighting via spotlights LED and 2 bedside reading lights
- Coat hook
- Cupboards storage under bed
- Aft and forward bathrooms :
- Access through wooden door
- Worktop with sink
- Mirror + shelves
- Hot and cold water by mixer
- Separate shower with mixer tap with built-in showerhead
- Shower with electrical drainage pump
- Large manual marine toilet
- Cupboard storage with internal shelves under worktop
- Coat hook
- Ventilation through 1 deck hatch
- 2 spotlights

Passageway :

- 1 cupboard

Fore cabin :

- Access through wooden door in passageway
- Double bed (1,60/1,10 x 2m approximately.) with lateral access (island bed)
- 1 Drawer under bed with frontal access
- 1 hanging closet
- 1 console with internal shelves
- 1 shelf above bed
- Ventilation through 1 deck hatch and 1 hull hatch
- 1 escape hatch opening
- Large non-opening outward-facing picture window

- Curtains on all openings
- Main lighting via spotlights LED and 2 bedside reading lights
- Coat hook
- Cupboards storage under bed

Fore peak :

- Access via a wooden door in for cabin
- Fully-painted, gel-coat finish
- Buoyancy reserve under half-height shelf

Deck Layout

Helm station :

- Accessed via stairs from cockpit
- Triple helmsman seat
- Instrument control panel
- 360° visibility
- Stairs to access of lounge deck

Lounge deck:

- Access via stairs through helm station
- Area available for solarium and mattresses

Cockpit:

- Large single storey cockpit
- Cockpit rigid Bimini top
- 1 x 6 persons bench seat around the table
- 1 Teck cockpit table
- Passage to the kitchen by sliding bay
- 1 fainting sofa
- 1 Large storage area on the bench
- 1 Large storage area on the fainting sofa
- 1 Gaz chest for 2 bottles
- Natural lighting and ventilation via deck hatches
- Lighting by waterproof spotlights

Fore deck :

- 1 Large chest for anchorage and halyard tail storage at bottom of mast
- 1 large chest accommodating on Electric group (option)

2 S Engine holds:

- Accessed via polyester deck hatch in cockpit
- Sound proofing
- Neon lighting

Motorization

Engines and Equipments :

- 2 motors 40CV
- 2 Fixes blades propeller
- Salt water filter
- Engine cooling by heat exchanger
- Complete engine panel and dual controls at helm station
- Hour meter

Fuel system :

- 1 Fuel tank with filling by plug-hole on bridge equipped with an anti-overflow
- Electric fuel gauge (indicator on chart table)
- 1 fuel pre-filter / water separator + 1 engine fuel filter/engine
- Fuel shutoff valves

Plumbing

- Freshwater tanks with electric gauge
- 1 electric pump and pressure accumulator
- 1 water heater 40 l
- 1 electrical bilge pump (2 m³/h) in each engine hold
- 1 electric bilge pump (2m³/h) in each hull
- 1 manual exterior bilge pump

Electronics

Circuit de puissance :

- 2 x 115A/12V engine alternators
- 1 set starboard onboard/engine batteries of 600A/h
- 1 port engine batterie of 100A/h/ 800CCA
- 1 Manual back-up link et 1 Automatic back-up link

12V electrical distribution panel :

- General 12V distribution panel at chart table protected by circuit breakers
- Voltmeter for onboard batteries
- Spare sockets for extra equipment

Electronic :

- 1 V.H.F.mast head antenna

Rigging and Sails

Mast and boom:

- Mast and boom in anodized aluminum
- Complete standing rigging
- Ball bearing mainsail luff cars
- 1 tackle on mainsail halyard
- 1 topping lift
- 3 reef pennants
- 1 genoa halyard
- 1 spinnaker halyard
- lazy-jack
- clutches on all halyards for genoa, spinnaker and topping lift
- clutches on reef pennants at boom exit
- 2 flag halyards
- Navigation, running and mooring lights
- Deck lighting

Voiles :

- Full batten mainsail
- Roller genoa furler
- Genoa with anti UV band

Fittings

G.V. et génois :

- 1 mainsheet tackle led aft to coachroof
- 1 clutch for mainsail sheet
- 2 x 50-size winches for genoa and mainsail sheets
- 1 Ball bearing mainsheet traveler
- 2 x tackle on mainsheet traveler clutches with back on roof
- 2 x genoa tracks with load block
- 2 genoa sheets
- 1 winch taille 46 pour drisses de G.V. et prise de ris

Other equipment:

- “Push pull” steering system with leather covered steering wheel helm
- 2 rudders linked mechanically by stock arm + transversal tube
- Emergency tiller
- 1 steering compass
- 3 winch handles and 3 pockets
- Pulpit and pushpit, stanchions with upper and lower guardrails
- Pulpits with seatings
- Access to transom
- 1 swim ladder
- 1 cold water shower in port transom
- 2 x tender davit kayak carrier with 1 x winch 40
- 7 mooring cleats (2 foredeck + 2 middle + 2 astern 1 in anchor well)
- Protection for both transom
- 6 fenders
- 2 x 50 ft long mooring lines
- 1 x 1000W electric windlass with circuit breaker protection
- Anchor fairlead under bridgedeck with built-in bridle
- 1 roller on forward beam
- Net on forward beam
- 1 kit of spare parts

Exención de responsabilidades

La Empresa presenta la información de esta embarcación de buena fe





